

# INDEX MAPS.

## T. 37N, R. 1W. 2<sup>nd</sup> Mer.

	385	385	384	384	384	383						
386	6	403	5	399	4	395	3	391	2	388	1	383
	<del>404</del>	<del>403</del>	<del>399</del>	<del>395</del>	<del>391</del>	<del>388</del>						
386	7	404	8	400	9	395	10	392	11	388	12	382
	<del>405</del>	<del>404</del>	<del>400</del>	<del>396</del>	<del>392</del>	<del>389</del>						
387	18	405	17	400	16	396	15	392	14	389	13	382
	<del>406</del>	<del>406</del>	<del>401</del>	<del>396</del>	<del>393</del>	<del>389</del>						
387	19	406	20	401	21	397	22	393	23	390	24	381
	<del>407</del>	<del>407</del>	<del>401</del>	<del>397</del>	<del>393</del>	<del>390</del>						
387	30	407	29	402	28	398	27	394	26	390	25	381
	<del>408</del>	<del>408</del>	<del>402</del>	<del>398</del>	<del>394</del>	<del>391</del>						
	<del>417</del>	<del>416</del>	<del>415</del>	<del>414</del>	<del>413</del>	<del>412</del>						
387	31	408	32	403	33	398	34	394	35	391	36	380
	<del>416</del>	<del>415</del>	<del>414</del>	<del>413</del>	<del>412</del>	<del>411</del>						
386	380	379	379	378	378	378						

Meanders 409

## T. 38N, R. 1W. 2<sup>nd</sup> Mer.

	6	5	4	3	2	1
	N. Bound <sup>y</sup> of Indiana					
	7	8	9	10	11	12
426	<del>444</del>	<del>444</del>	<del>439</del>	<del>436</del>	<del>432</del>	<del>429</del> 423
	<del>444</del>	<del>444</del>	<del>439</del>	<del>435</del>	<del>432</del>	<del>429</del>
426	18	443	17	438	16	435 15 432 14 429 13 423
	<del>443</del>	<del>442</del>	<del>438</del>	<del>435</del>	<del>431</del>	<del>428</del>
425	19	442	20	438	21	434 22 431 23 428 24 423
	<del>442</del>	<del>441</del>	<del>437</del>	<del>434</del>	<del>431</del>	<del>427</del>
424	30	441	29	437	28	434 27 430 26 427 25 422
	<del>440</del>	<del>440</del>	<del>437</del>	<del>433</del>	<del>430</del>	<del>427</del>
424	31	440	32	436	33	433 34 430 35 427 36 422
	422	421	421	420	420	420

Meanders 445

The figures on the lines refer to the page.

Township 37 North Range 1 West 2<sup>nd</sup> Mer.

C. L. South Boundary. (Indiana.)  
 Met On the S. side of Sec. 36. (V. 5° 35' E.)  
 28.00 Leave mark on an island  
 40.00 Set the gr. sec. cov. post from which  
     a Hickory 16 in. dia. bears N 11½ E 57 1/2 lbs. dist.,  
     & a W. Oak 15 " " " N 73 W 94 " "  
 52.00 Entered a marsh  
 80.00 Set a post cov. to Secs. 35 & 36,  
     in mark water one foot deep,  
     & Rained a small mound,  
     Except island this mile is all a deep  
     mark. - E 28 chs. inaccessible, I run  
     the E. ½ by an offset, from the gr. sec.  
     cov. post South of Town corner,

---

Met On the S. side of Sec. 35.  
 40.00 Set the gr. sec. cov. post in mark  
     water deep & Rained a mound.  
 49.00 To current of water on S. E. 25 lbs. wide  
 74.00 " an island of banyans  
 77.00 Leave the Do. & Entered marsh again  
 80.00 Set a post cov. to Secs. 34 & 35 f. wh.,  
     a W. Oak 8 in. dia. bears N 88½ E 35 1/2 lbs.,  
     & a Red Oak 6 " " " N 89 W 40 1/2 " dist.,  
     Land &c is similar, & some *Tamarac* on  
     last ½ mile,

---

Met On the S. side of Sec. 34  
 3.50 Leave the marsh,  
 24.40 To a W. Oak 6 in. dia. in the knie,  
 28.00 Entered a marsh  
 33.50 Leave the Do.,  
 40.00 Set the gr. sec. cov. post from which



T. 39 N. R. 18 W. 2<sup>nd</sup>. New Ind.<sup>a</sup>

6. 00 a W. Oak 24 in. dia. bears N 84 W 33 lbs. dia,  
 & a P. Oak 8 " " " N 52 1/2 E 20 " "
- 43.00 Entered a Lamerac swamp
- 47.50 Leave the " Do,
- 57.41 To a W. Oak 10 in. dia. in the line,
- 63.00 To a Lamerac swamp
- 66.26 " " Lamerac 7 in. dia. in the line,
- 66.30 " " Brook 10 lbs. wide cr. S. — sluggish
- 68.00 Leave the swamp
- 80.00 Set a post cor. to sec. 33 & 34 from wh.  
 a G. Oak 18 in. dia. bears N 47 E 72 lbs. dia,  
 & a W. Oak 13 " " " N 52 W 33 " "  
 Land is wet heavy & thin soil & the  
 timber is W. G. Oak & Hickory

- Met On the S. side of sec. 33,
- 32.41 To a Red Oak 18 in. dia. in the line,
- 40.00 Set the gr. sec. cor. post from which  
 a Hickory 14 in. dia. bears N 56 E 28 lbs,  
 & a G. Oak 17 " " " N 83 W 12.
- 60.80 To a trail cr. North
- 62.50 Entered a spring marsh
- 77.70 To a spring brook 15 lbs. wide cr. S. E,  
 20 yds. N & about 10 S E is a stream large enough  
 for mills, where there is a good scite,  
 made by innumerable springs,
- 80.00 Set a post cor. to sec. 32 & 33 —  
 an Aspen 14 in. dia. bears N 88 3/4 W 317 lbs,  
 & a Lamerac 9 " " " N 27 1/2 E 308,  
 Land &c. is similar good soil,

- Met On the S. side of sec. 32,
- 3.00 Leave the marsh

T. 37 North Range 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

6. L<sup>et</sup>  
 17.50 To a Wagon Road cr. N.  
 18.06 To a G. Oak 8 in. dia. in the line,  
 40.00 Set the q. sec. cor. post from which  
     a G. Oak 12 in. dia. bears N 47 $\frac{1}{2}$  E 28 lks. dist.  
     & a Do. 13 " " " N 44 $\frac{1}{2}$  W 26 " "  
 49.42 To a Hickory 9 " " in the line,  
 64.53 " " Do. 8 " " " "  
 80.00 Set a post cor. to Secs. 31 & 32  
     a G. Oak 18 in. dia. bears North 40 lks. dist.  
     & a W. Oak 16 " " " N 46 E 82 " "  
 Land is high rolling prairie & well  
 timbered with W & E Oak Hickory &c.

- Met On the S. side of sec. 31  
 13.41 To a W. Oak 14 in. dia. in the line,  
 40.00 Set the  $\frac{1}{4}$  sec. cor. post from which  
     a Hickory 8 in. dia. bears N 34 E 84 lks. dist.  
     & a Do. 9 " " " N 66 W 50 " "  
 60.68 To a G. Oak 16 " " in the line,  
 74.11 To the W. boundary, at 6.00. 26 lks. &  
 Set a post cor. Secs. 36 & 37 N. R. 1 & 2 W.  
     a W. Oak 12 in. dia. bears N 40 E 2 lks. dist.  
     & a Do. 13 " " " S 75 W 8 " "  
 Land &c. is same as on last miles  
 Var. S. 35 E. Dec. 18<sup>th</sup> 1833.  
 Surveyed by Clark & Sibley L. S.

## East Boundary. (Var. S. 50 E.)

- North On the E. side of sec. 36,  
 This corner in wet prairie, no mound  
 40.00 Set the q. sec. cor. post in prairie  
     a Lameraw 15 in. dia. bears S 80 E 167 lks. dist.  
     & a Lynamow 18 " " " N. 95 W " "

T. 37 N. R. 1 W. 2<sup>d</sup> New. Ind<sup>a</sup>

6. S.  
 48.00 Leave prairie  
 52.00 To the E. line. of 1817 from the S. end  
 of Lake Michigan, & set post. from wh  
 an Ironw<sup>d</sup> 6 in. dia. bears S 51 $\frac{1}{2}$  E 18 $\frac{1}{2}$  M<sup>d</sup>,  
 & a B. Ash 8 " " " N 69 $\frac{1}{2}$  W 40 " "  
 From this intersection East to end of the  
 44<sup>th</sup> mile, 9.83 —  
 62.00 Entered S. prairie  
 71.12 Leave the Dr. at an aspen 8 in dia,  
 80.00 Set a post cor. to sec. 25 & 36 from wh,  
 an aspen 12 in. dia. bears S 55 W 19 $\frac{1}{2}$  M<sup>d</sup>,  
 & a Dr. 8 " " " " N 6 W 14 " M<sup>d</sup>,  
 Land is swampy & lost note.

- North On the E. side of sec. 25. (Meridian)  
 1.50 Entered S. prairie,  
 20.00 " a Lamer<sup>s</sup> swamp  
 21.78 To a Lamer<sup>s</sup> 6 in. dia. in the line,  
 40.00 Set the q. sec. cor. post from which  
 a Lamer<sup>s</sup> 8 in. dia. bears West 1 M<sup>d</sup>,  
 & a Dr. 4 " " " S 30 W 18 "  
 61.81 To a Lamer<sup>s</sup> 15 " " in the line,  
 80.00 Set a post cor. to sec. 24 & 25 —  
 a Lamer<sup>s</sup>, 7 in. dia., bears S 26 W 6 M<sup>d</sup>,  
 & a Dr. 5 " " " N 89 W 3 "  
 Land is Lamer<sup>s</sup> swamp

- North On the E. side of sec. 24  
 11.69 To a Lamer<sup>s</sup> 20 in. dia. in the line,  
 12.90 To a stream 25 M<sup>d</sup>. wide cor. N. E.,  
 19.46 " " Lamer<sup>s</sup> 6 in. dia. in the line  
 40.00 Set the q. sec. cor. post from which  
 a Lamer<sup>s</sup> 8 in. dia. bears N 13 W 26 $\frac{1}{2}$  M<sup>d</sup>,

T. 37 N. R. 1 W. 3<sup>rd</sup> Mer. Ind.

61.26 To a Lamerac 6 in dia. bears North 4 1/2 M. dist.  
 51.76 To a Do. 12 " " in the line,  
 80.00 Set a post cor. to sec. 13 & 24 from wh.,  
 a Lamerac 4 in dia. bears S 2 1/2 W 4 1/2 M. dist.,  
 & a Do. 6 " " " N 30 W 13 " "  
 Land is same as before,

North On the E. side of sec. 13,  
 24.36 To a Lamerac 9 in dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a Lamerac — bears S 65 1/2 W 24 M. dist.,  
 & a Do. 6 in dia. bears N 73 W 8 " "  
 49.00 To a S. ash 20 " " & leave the swamp  
 58.46 To an Elm 15 " " in the line,  
 80.00 Set a post cor. to sec. 12 & 13 from wh.,  
 a Sycamore — bears N 4 W 50 M. dist.,  
 an Elm 6 in dia. " N 12 W 5 " "  
 Land is swampy —

North On the E. side of sec. 12,  
 25.36 To an Elm 15 in dia. in the line  
 37.36 " " S. Ash 19 " " " "  
 40.00 Set the gr. sec. cor. post from which  
 a B. ash 10 in dia. bears S 28 W. 19 M. dist.,  
 & a Lym 6 " " " S 82 W 11 " "  
 46.33 To a stream 17 M. wide cor. S. E.,  
 47.12 " " Do. 12 " " " S. W.,  
 48.48 " " Do. 16 " " " N. E.,  
 57.56 " " Buck 18 in dia. in the line,  
 80.00 Set a post cor. to sec. 1 & 12 from wh.,  
 an Hornwood 6 in dia. bears S 8 W 33 M.,  
 & a Lym 20 " " " N 43 W 43,  
 Land level & sec. rate. & the timber



T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L. is ash, Elm & Beech, & the mud, etc.  
is Hornwood & B. alder. May 13<sup>th</sup> 1829

North On the E. side of sec. 1.

20.57 To a Beech 12 in. dia. in the line,

35.50 Entered Terre Coupee prairie, dry & rich

40.00 Set the gr. sections cor. post from wh.  
an Aspen 27 in. dia. bears S 1 E 420 M.  
& a Cherry 12 " " " S 51 W 183 " " "

43.33 To an Indian trail on. N.E.

80.00 Set a post cor. T. 37 & 38 N. R. 1 W.  
where raised a mound.

Land level & price rate & the timber  
is Beech & ash, open woods.

May 14<sup>th</sup> 1829. Surveyed by -

David Willis. D. S. -

North Boundary. (Var. 5<sup>th</sup> 35 E.)

West On the S. side of sec. 36 T. 38 N. R. 1 W

23.00 Entered timbered land

28.94 To a Spruce 36 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a Forked Beech 14 in. dia. bears N 50 E 25 M. " " "  
& a " Do. 12 " " " N 56 W 40 " " "

61.17 To a Br. Oak 36 " " in the line,

80.00 Set a post cor. to sec. 35 & 36 from wh.  
a Hickory 16 in. dia. bears N 45 W 18 M. " " "  
& a Spruce 14 " " " N 33 E 10 " " "

Land level & price rate & part prairie & the  
timber is Brn Oak Beech Spruce. Hickory  
Maple. Poplar &c. & the mud etc is  
Wazel. Ash, Water Beech Willow &c.



T. 37 N. R. 1 W. 3<sup>rd</sup> New, Ind.<sup>a</sup>

- C. S.  
 West On the S. side of sec. 35 T. 38 N. R. 1 W  
 21.36 To a Spruce 16 in. dia. in the line,  
 38.50 Entered wet prairie, supposed an old  
 40.00 Set the gr. sur. cor. post from which  
     a W. Oak 18 in. dia. bears N 35 $\frac{1}{2}$  E 74 $\frac{1}{2}$  M.,  
     & a Do. 14 " " " N 34 $\frac{1}{2}$  W 142 "  
 68.00 Entered S. point of Timber land -  
 74.32 To a W. Oak 22 in. dia. & in line,  
 75.00 Entered a wing of same prairie  
 80.00 Set a post cor. to sec. 34 & 35 fr. wh.  
     a Br. Oak 22 in. dia. bears N 59 $\frac{1}{2}$  E 46 $\frac{1}{2}$  M.,  
     & a W. Oak 20 " " " N 11 $\frac{1}{2}$  W 690.  
 The first  $\frac{1}{2}$  mile level & sec. rate land  
 & the timber is Buck Oak Poplar Hickory  
 2 $\frac{1}{2}$  mile pass 3<sup>rd</sup> rate & mostly prairie

- West On the S. side of sec. 34 T. 38 N. R. 1 W  
 28.00 Leave wet prairie & Entered barrens  
 34.26 To a W. Oak 22 in. dia. in the line,  
 40.00 Set the gr. sur. cor. post from which  
     a W. Oak 36 in. dia. bears N 25 $\frac{1}{2}$  E 10 M.,  
     & a Hickory 10 " " " N 56 $\frac{1}{2}$  W 32.  
 59.71 To a Hickory 16 " " in the line,  
 71.00 Entered barren land  
 80.00 Set a post cor. to sec. 33 & 34 fr. wh.,  
     a Br. Oak 20 in. dia. bears N 58 $\frac{1}{2}$  W 90 M.,  
     no other tree convenient,  
 Part rolling sec. & 3<sup>rd</sup> rate land, part is  
 level wet & third rate Timber Oak Hickory &  
 Undergrowth. Saplings Hickory &c -

- West On the S. side of sec. 33 T. 38 N. R. 1 W  
 20.70 To a Forked Br. Oak 38 in. dia. in the line

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

- 6.26,  
40.00 Set the gr. sur. cor. post from which  
a Br. Oak 22 in. dia. bears N 85 $\frac{1}{2}$  W 152 lks.  
I no other tree convenient.  
53.06 To a Sp. Oak 28 in. dia. in the line.  
61.00 Entered a prairie mostly NW,  
80.00 Raised a mound cor. sur. 32 & 33,  
Land-rolling 2<sup>nd</sup> & 3<sup>rd</sup> rate & the timber  
is B. W. Oak & Hickory &c, W. G. Sas. Hazel &c.

- Met On the S. side of Sec. 32 & 38 NW 1 W  
10.50 Entered wood land, Walnut &c,  
14.72 To a B. Walnut 14 in. dia. in the line,  
26.50 Entered same prairie  
40.00 Set gr. sur. cor. post. in a mound  
80.00 Set post cor. sur. 31 & 32 & Raised Do.  
Land 2<sup>nd</sup> rate land & mostly prairie

- Met On the S. side of Sec. 31 & 38 NW 1 W  
28.00 Leave prairie  
32.90 To a Br. Oak 16 in. dia. in the line,  
40.00 Set the gr. sur. cor. post from which  
a Sugar 4 in. dia. bears N 42 $\frac{1}{2}$  W 19 lks. dist.  
& a Do. 4 " " " N 19 $\frac{1}{2}$  E 23 " "  
61.55 To a Sugar 26 " " in the line,  
80.00 Set a post cor. to Town 37 & 38 N. 16. 1 & 2 W  
a R. Elm 4 in. dia. bears S 64 $\frac{1}{2}$  W 24 lks. dist.  
& a Do. 4 " " " S 81 E 18 " "  
& a Beech 30 " " " N 77 W 26 " "  
& a Do. 14 " " " N 14 E 60 " "  
Rolling & su<sup>r</sup> rate land & the timber is  
Sugar, Beech, Elm, Poplar Ash &c.  
Mid. Gt. Sugar Poplar Hazel Prunes &c  
June 17<sup>th</sup> 1829. Surveyed by Thomas Berin D. D.

T. 37 N. R. 1 W. 2<sup>nd</sup> New (Ind<sup>y</sup>)

C. L. West Boundary. (Var. 6° E.)  
 North On the E. side of sec. 36. T. 37 N. R. 2 W. (Rand<sup>y</sup>)  
 51.04 Entered old line. S. boundary of 10 mile  
 strip 47 chs. W. of. Post ev. on same Range  
 line running North — Dec. 1833,  
 surveyed by Clark & Sibley D. S.

South Correct line S. on E. side of sec 36 (V. 5. 25 E.)  
 24.23 To a Br. Oak 16 in. dia. in the line.  
 51.04 To the town corner.  
 Land hilly good soil, W B & G Oak, H. dog, &c.

South On the E. side of sec. 1. T. 37 N. R. 2 W (V. 5. 35 E.)  
 17.12 To a Sugar 22 in. dia. in the line.  
 40.00 Set the gr. sec. cor. post from which  
 a Spruce 22 in. dia. bears N 29 E 26 1/2 chs. dist.  
 & a Forked B. Walnut 34 in. dia " S 31 W 37 " "  
 & a Red Oak 20 in. dia. bears N 22 W 10 " "  
 50.00 To scattering timber  
 58.00 Entered a prairie cor. N. E. & S W  
 80.00 Set post cor. to sec. 1 & 12. in mound  
 Land rolling 2<sup>nd</sup> rate. & first 50 chs.  
 well timbered with Sugar. Oak. Ash. Wal<sup>t</sup>.  
 Hickory &c. N. G. Hickory Hazel Brians &c.

South On the E. side of sec. 12 T. 37 N. R. 2 W  
 31.50 To Chicago trail cor. S. W.  
 35.64 " a Br. Oak 18 in. dia. in the line  
 & leave prairie  
 40.00 Set the gr. sec. cor. post from which  
 a — 16 in. dia. bears S 46 W 104 chs. dist.  
 & a Br. Oak 14 " " " N 68 W 15 " "  
 55.04 To a Br. Oak 24 " " in the line.  
 & a large prairie bears W. S. W. —

T. 37 N. R. 1 W. 3<sup>rd</sup> New. Ind.?

C. L.

80.00 Set a post cor. to sec. 12 & 13. fr. which  
 a Bl. Oak 26 in. dia. bears N 18 W 1/4 1/4 m. dist.,  
 & a Bl. Oak 18 " " " N 44 W 48 " "  
 Land level & separate the timber; Bl. Oak &c.,  
 N. G. Sassafras, Hazel & Brians &c.

---

South On the E. side of sec. 13 T. 37 N. R. 2 W.

10.00 Enter Barrings

40.00 Set a gr. sec. cor. post from which  
 a Br. Oak 20 in. dia. bears N 37 W 33 1/4 m.,  
 & no other tree near, & Enter prairie

59.50 Enter E end of a small grove,

80.00 Set a post cor. to sec. 13 & 24 -  
 & where raised a mound  
 Rolling inferior, 2<sup>nd</sup> rate, Land. & the  
 timber is low, scrubby & scarce &c.,

---

South On the E. side of sec. 24 T. 37 N. R. 2 W.

40.00 Set the 2<sup>nd</sup> sec. cor. post & raise a mound

80.00 Set a post cor. to sec. 24 & 25. in mound  
 Level 2<sup>nd</sup> rate prairie Land -

---

South On the E. side of sec. 25. T. 37 N. R. 2 W.

40.00 Set the gr. sec. cor. post in mound. in prairie

80.00 Set a post cor. to sec. 25 & 26.,  
 where raise a mound, Land level  
 2<sup>nd</sup> rate, prairie,

---

South On the E. side of sec. 36 T. 36 N. R. 2 W.

15.00 Enter scattering timber

17.28 To a Br. Oak 18 in. dia. in the line

31.14 To line running from S. bend of Lake  
 Michigan 6.92 km W of 38 mile post,



T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

6. Le. where set a post cor. to frac. town 37 N.  
R. 1 & 2 W. also cor. to frac. sec. 31 & 36,  
a W. Oak 14 in. dia. bears N 70 W 215 lks,  
+ a Br. Oak 16 " " " N 78 E 219 "  
Land 2<sup>nd</sup> rate & the timber is scatt.  
low Oak. Hickory &c. N. G. Brian Shoemaker Dr.  
June 18<sup>th</sup> 1829. Surveyed by Thos. Brown D. A.

### Subdivisions.

South Between sections 1 & 2,  
16.25 To a Red Oak 12 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a Buck 14 in. dia. bears S 55 W 21 lks. dit,  
+ a Do. 6 " " " N 38 E 9 " "  
59.65 To a Do. 10 " " in the line,  
80.00 Set a post cor. to sec. 1. 2. 11 & 12  
a Buck 30 in. dia. bears S 5 W 34 lks.  
+ a Lyrus 10 " " " N 45 E 38 "  
Land low & soil sec. rate. & the timber  
is B. & G. ash. Buck, Lyrus Oak & Poplar

East On Random between sec. 1 & 12  
40.00 Set a tempy. gr. sec. cor. post,  
78.98 To the E. line of sec. 14 4 lks. S. of post,  
Land &c. is same as last mile,

West Correct the line between sec. 1 & 12  
39.49 Set the gr. sec. cor. post from which  
a Poplar 30 in. dia. bears S 24 W 15 lks. dit,  
+ a Lyrus 9 " " " N 32 W 33 " "  
78.98 To the sections corner,

South Between sections 11 & 12



T. 37 N. R. 1 W. 3<sup>rd</sup> Mer. Ind<sup>a</sup>

C. L.

- 32.50 To a Beech 15 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
     a Sugar 18 in. dia. bears N 35 W 53 1/2 in. dia,  
     & a Do. 40 " " " S 70 W 43 " "  
 61.47 To a Spruce 15 in. dia. in the line,  
 80.00 Set a post cor. to sec. 11. 12. 13 & 14 from which  
     a White Oak 28 in. dia. bears S 53 W 46 1/2 in. dia,  
     & a Do. 26 " " " N 12 W 32 " "  
 Land is rolling & first rate & the timber  
 is Sugar, Beech Spruce Poplar Oak, ash &c,

East On Random between sec. 12 &amp; 13

- 1.00 Entered a wet prairie,  
 40.00 Set a temporary 1/4 sec. cor. post  
 68.00 <sup>Leaves prairie</sup> To the E. line of sec. 1 ch. S. of post,  
 79.75 & the timber is B. Ash. Maple. Sycamore &c,

West Correct the line between sec. 12 &amp; 13,

- 39.87 Set the gr. sec. cor. post & raised a mound  
 79.75 To the sec. cor. Land low & wet on E,

South Between sections 13 &amp; 14

- 1.00 Entered a wet prairie  
 40.00 Set the gr. sec. cor. post from which  
     a Lamerac 9 in. dia. bears South S 32 W,  
     & no other timber near,  
 77.00 To a stream 10 in. wide on S. E,  
 80.00 Set a post cor. to sec. 13. 14. 23 & 24  
     a Lamerac 10 in. dia. bears S 45 W 55 1/2 in. dia,  
     & a Do. 10 " " " S 73 E 105 " "  
 Land &c, is all wet prairie

East On Random between sec. 13 &amp; 24

T. 37 N. R. 1 W. 2<sup>nd</sup> Nov, Ind.<sup>a</sup>

C. L.  
 13.14 To a stream 10 lks. wide crs. S. E.  
 40.00 Set a tempy. gr. sec. cor. post.  
 59.50 Entered a Lamerac swamp  
 79.95 To the Co. boundy, of sec. 80 lks. S. of post.

West Correct the line between secs. 13 & 24  
 39.97 Set the gr. sec. cor. post from which  
 no bearings. but where raised a mound  
 79.75 To the sec. corner. Land wet prairie  
 & Lamerac swamp & — ,

## South Between sections 23 &amp; 24

3.00 Entered a Lamerac swamp  
 20.00 Leave the So. & Entered wet prairie  
 40.00 Set the gr. sec. cor. post & raise mound  
 80.00 Set a post cor. secs. 23, 24, 25 & 26 —  
 in prairie & where raised a mound  
 Land all wet prairie ,

## East On Random between secs. 24 &amp; 25

40.00 Set a tempy. gr. sec. cor. post  
 59.00 Entered a Lamerac swamp  
 79.89 To the Co. line of sec. 90 lks. S. of post.

## West Correct the line between secs. 24 &amp; 25

39.94 Set the gr. sec. cor. post & Raise a mound  
 79.89 To the sections corner, Land &c. same

## South Between sections 25 &amp; 26,

40.00 Set the gr. sec. cor. post & Raise a mound  
 80.00 Set a post cor. to sec. 25, 26, 35 & 36,  
 Land wet prairie. Raised a mound

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

E. L.

East On Random between sec. 25 & 36  
 40.00 Set a tempy gr. sec. cor. post,  
 77.00 Leave prairie,  
 79.68 To the E. line of sec. 20 blk. S. of post,

West Correct the line between sec. 25 & 36  
 39.84 Set the gr. sec. cor. post & Raise mound  
 79.68 To the sections corner,

South Between sections 35 & 36  
 22.00 To the Indian boundary.  
 where raised a mound. Land wet prairie

South Between sections 2 & 3,  
 14.00 Leave prairie  
 22.47 To a Buck 18 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a Sugar 20 in. dia. bears S 50° W 14 blk.  
 & an Elm 9 " " " S 54° E 18 " dia.  
 58.35 To a Buck 30 " " in the line,  
 80.00 Set a post cor. to sec. 23, 10 & 11  
 a Beech 9 in. dia. bears N 14° E 30 blk. dia.  
 & an Elm 18 " " " S 57° E 36 " "  
 Rolling & good timber, of Sugar Buck  
 Lyrus. Oak, Poplar, & Ash L.

East On Random between sections 2 & 11  
 40.00 Set a tempy. gr. sec. cor. post,  
 80.16 To the E. line of sec. 10 blk. S. of post,

West Correct the line between sec. 2 & 11  
 40.00 Set the gr. sec. cor. post from which  
 a Sugar 30 in. dia. bears S 54° E 18 blk. dia.





T. 37 N. R. 1 W. 2<sup>nd</sup> Men, Ind.

C. L.

a Sugar 20 in dia. bears N 19 E 27 1/2 m. dist.  
 & a Do. 20 " " " S 69 W 34 " "  
 Land is rolling, soil good, & the timber is  
 Sugar. Buck Run

East On Random between sections 14 & 23,  
 40.00 Set the temporary 1/4 sec. cor. post,  
 57.50 Enter a wet prairie  
 80.32 To the E. boundary, 50 m. N. of post,

West Correct the line between Sec. 14 & 23  
 40.16 Set the gr. sec. cor. post from which  
 a Hickory 12 in dia. bears S 30 E 10 m.,  
 & a Sugar 9 " " " N 48 W 32 " dist.  
 80.32 To the sections corner, Land flat  
 soil good, & the timber as before,

South Between sections 22 & 23,  
 19.75 To a Beech 19 in dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a G. Ash 9 in dia. bears N 75 E 14 1/2 m. dist.  
 & a Do. 18 " " " S 35 E 25 " "  
 60.60 To a Beech 18 " " in the line  
 80.00 Set a post cor. to sec. 22, 23, 26 & 27,  
 a Beech 12 in dia. bears N 26 E 9 m.,  
 & a Poplar 48 " " " S 61 E 15 " dist.  
 Land &c. is same as before,

East On Random between sec. 23 & 24  
 30.00 Enter a wet prairie  
 40.00 Set a temporary 1/4 sec. cor. post,  
 45.00 Enter a ~~temporary~~ Low swamp  
 60.50 Leave the " "



T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

61.08 To the E. line of sec. 32 1/2 m. N. of post

West Correct the line between sec. 23 & 26  
40.04 Set the gr. sec. cor. post from which  
no bearings but raised a mound

80.08 To the section's corner. Land flat  
soil good on the West. timber as before

## South Between sections 26 &amp; 27

19.20 To a Sugar 9 in. dia. in the line,

40.00 Set the gr. sec. cor. post from wh.,  
a W. Oak 20 in. dia. bears N 72 W 10 m.,  
& a Do. 12 " " " S 22 W 30 "

43.00 To a stream 10 m. wide on S. E.,

55.00 Enter wet prairie

68.50 Leave the " Do. & Enter barrens,

68.68 <sup>W. Oak 12</sup>  
80.00 Set a post cor. to sec. 26, 27, 34 & 35  
a G. Oak 18 in. dia. bears N 33 W 33 m.,  
& a Do. 18 " " " S - 10 m. dist.  
Land flat wet prairie & barrens.  
& on the S. timber as before,

## East On Random between sec. 26 &amp; 35

11.00 Enter a wet prairie

40.00 Set a temporary gr. sec. cor.

80.00 To the E. line of sec. 64 1/2 m. N. of post,

## West Correct the line between sec. 26 &amp; 35

40.00 Set gr. sec. cor. post & Raise a mound

80.00 Section's corner. Land wet. E. prairie

## South Between sections 34 &amp; 35

23.30 To the Indian boundary, 10 m. E of

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

C. L. C. of a Y. Oak station tree 20 in. dia,  
 & set post cor. to sec. 34 & 35  
 a W. Oak 8 in. dia. bears N 55 W 8 lks,  
 & a Y. Oak 10 " " " N 81 E 50 "  
 Land level & first rate bearing & the  
 timber is G. & W. Oak &c.

## South Between sections 3 &amp; 4

19.02 To a W. Oak 10 in. dia. in the line,  
 20.00 Leave the bearing  
 40.00 Set the gr. sec. cor. post from wh,  
 a Sugar 12 in. dia. bears N 39 W 8 lks,  
 & a Do. 18 " " " N 41 E 13 " dip,  
 64.00 To a Beech 20 " " in the line,  
 80.00 Set a post cor. to sec. 34. 9 & 10 ,  
 a Beech 28 in. dia. bears S. 44 E 4 lks,  
 & a Do. 18 " " " N 85 W 14 "  
 Land is rolling & first rate & the timber  
 is Sugar, Beech, Poplar, Ash, R & W,  
 Oak, Lym W & B walnut &c.

## East On Random between Secs. 3 &amp; 10

40.00 Set a tempy. gr. sec. cor. post,  
 80.00 To the C. line of sec. 8 lks. S. of post,

## West Correct the line between Secs. 3 &amp; 10

40.03 Set the gr. sec. cor. post from wh,  
 a Sugar 15 in. dia. bears S 26 E 5 lks,  
 & a Do. 30 " " " S 64 W 14 " dip,  
 80.00 To the section corner. Land &c. same,

## South Between sections 9 &amp; 10

24.41 To a Sugar 18 in. dia. in the line,

T. 37 N. R. 1 W. 3<sup>rd</sup> Mer. Ind.<sup>a</sup>

6. L.  
 40.00 Set the gr. sec. cor. post from which  
     a L. Ash 9 in. dia. bears N 3 W 16 M.,  
     & a Sugar 30 " " " N 55 E 10 "  
 59.08 To a Beech 10 " " in the line,  
 80.00 Set a post cor. to sec. 9. 10. 15 & 16,  
     a Sugar 25 in. dia. bears S 75 E 13 M.,  
     & an Elm 24 " " " N 23 E 9 "  
 Land &c. is same as before

- East On Random between sections 10 & 15  
 40.00 Set the gr. sec. cor. post. (Lumpy)  
 79.90 To the E. line of sec. at post,

- West Correct the line between sec. 10 & 15  
 39.95 Set the gr. sec. cor. post from wh,  
     a Sugar 25 in. dia. bears N 74 W 18 M.,  
     & a Lym 9 " " " S 42 E 10 "  
 79.90 To the sections corner,  
 Land &c. is same as last side,

- South Between sections 15 & 16,  
 18.60 To a Sugar 24 in. dia. in the line  
 40.00 Set the gr. sec. cor. post from which  
     a Beech 12 in. dia. bears S 42 W 19 M.,  
     & a Sugar 20 " " " N 16 E 19 " 9 in  
 60.78 To a Beech 30 " " in the line,  
 80.00 Set a post cor. to sec. 15. 16. 21 & 22,  
     a Lym 10 in. dia. bears N 2 E 40 M. 9 in,  
     & a L. Ash 18 " " " S 62 E 20 " "  
 Land rolling, soil good, & the timber  
 is Sugar, Beech, Poplar Walnut Hickory &c.,

- East On Random between sec. 15 & 22

T. 37 N. R. 1 W. 3<sup>d</sup> New. Ind.<sup>o</sup>

C. L.

40.00 Set a gr. sec. cor, Tempy,

79.78 To the E. line of sec. 50 th. at opp. post

West Correct the line between sec. 15 &amp; 22

39.89 Set the gr. sec. cor. post from wh,  
a Poplar 15 in. dia, bear S 77 E 14 lbs,  
& a Spruce 8 " " " N 2 E 23 "

79.78 To the section corner

South Between sections 21 &amp; 22,

11.00 Enter a wet prairie

29.00 Leave the " do,

33.00 To a small lake,

40.00 Set the gr. sec. cor. post from wh,  
in a Lake. R. Oak 20 in. dia, bear  
south 200 lbs. dist. -

42.00 Leave the lake,

66.47 To a Spruce 14 in. dia, in the line,

70.00 <sup>Enter</sup> <sup>33 acres</sup> Set a post cor. to sec. 21. 22. 27 & 28,80.00 a Hickory 9 in. dia, bear West 73 lbs,  
& a Walnut 9 " " " N 65 E 203 "Land broken, soil thin & timber is  
same as before.

East On Random between sec. 22 &amp; 27

40.00 Set tempy. gr. sec. cor,

79.40 To the E. line of sec. 80 th. at opp.  
post, -

West Correct the line between sec. 22 &amp; 27

39.70 Set the gr. sec. cor. post from wh,  
a Hickory 8 in. dia, bear S 58 E 49 lbs  
& no other tree convenient

Land level soil thin, &amp; the timber



E. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

6. L. is Oak Hickory, Buck. Sugar &c,  
79.40 To the sections corner,

South Between sections 27 & 28,

28.00 Enter a wet prairie

34.00 Leave the " Do,

40.00 Set the gr. sec. cov. post from which  
a Y. Oak 18 in. diam. bears N 61 E 57 1/2 Mn. dist,  
& a Do. 12 " " " South 80 " "

80.00 Set a post cov. to sec. 27, 28, 33 & 34  
a W. Oak 9 in. diam. bears S 42 E 10 1/2 Mn. dist,  
& a Hickory 18 " " " N 15 E 13 " "  
Land level & first rate farming & the,  
timber is G. W. & Br. Oak &c —

East On Randon between sec. 27 & 34

40.00 Set the gr. sec. cov. post. (Lumpy,)

79.70 To the E. boundy. 40 Mn. N. of post,

West Correct the line between sec. 27 & 34

39.85 Set the gr. sec. cov. post from wh,  
a Y. Oak 12 in. diam. bears S 75 E 77 1/2 Mn,  
& a W. Oak 9 " " " N 26 W 70 "

79.70 To the sections corner,

Land &c. is same as on last mile

South Between sections 33 & 34

23.10 To the Indian boundary 110 Mn. W.  
of a Hickory station tree 10 in. diam,

& set a post cov. to sec. 33 & 34

a W. Oak 18 in. diam. bears N 64 E 19 Mn.  
& a Do. 15 " " " N 28 W 32 "

Land &c is same as before



E. 34 N. R. 1 W. 2<sup>d</sup>. Nov. Ind<sup>a</sup>.

G. L. November 14<sup>th</sup> 1829 -

South Between sections 4 & 5,

- 5.00 Leave the prairie  
 23.22 To a Spruce 10 in. dia. in the line.  
 40.00 Set the gr. sur. cor. post from which  
 a Birch 40. in. dia. bears S 46 E 27 M. dist,  
 & an Ironwood 9 " " " N 70 E 11 " "  
 58.02 To an Elm 10 " " in the line,  
 80.00 Set a post cor. to sec. 4, 5, 8 & 9 fr. wh.  
 a W. Oak 15 in. dia. bears West 3 M. dist,  
 & a G. Ash 12 " " " East 33 " "  
 Land rolling & 1<sup>st</sup>. rate. & the timber is  
 Sugar, Birch, Cherry, Oak, Walnut  
 Hickory & G. Ash &

East On Randon between Secs. 4 & 9

- 4.50 To a Lake & set a post from which  
 a W. Oak <sup>20</sup> in. dia. bears S 76 E 25 M. dist,  
 & a Do. 13 " " " N 56 E 31 " "  
 22.00 Lake - Leave the lake & set post  
 a W. Oak 18 in. dia. bears S 47 E 10 M.  
 & a no other given  
 38.50 To a Lake  
 42.00 Leave do,  
 80.00 To the E. boundy. of sec. 69 M. N.  
 of post, thin broken soil & timber same

West Correct the line between Secs. 4 & 9

- 40.00 Set the gr. sur. cor. post from which  
 a Red Oak 30 in. dia. bears West 115 M.  
 & no other timber near  
 80.00 To the sections corner,

T. 37 N. R. 1 W. 2<sup>d</sup> New Ind.<sup>a</sup>

To S.

South Between sections 8 &amp; 9

24.20 To a Red Oak, 30 in. dia. in the line.

40.00 Set the gr. & sec. cor. post from which  
a poplar 25 in. dia. bears N 37° W 16 1/4,  
Van Horn, 9 " " " S 29° W 6 "

66.54 To a Poplar 20 " " in. dia. in line,

80.00 Set post cor. to Secs. 8, 9, 16 &amp; 17

a Birch 30 in. dia. bears S 2° W 36 1/4,  
4 a G. Ash 13 " " " N 67° E 26 "  
Land broken, soil thin & the timber  
is Birch, Sugar, Oak & —

East On Random between Secs. 9 &amp; 16

40.00 Set a temporary gr. &amp; sec. post

42.00 Enter a Low &amp; Swamp

52.00 Leave the " Do,

80.12 To the E. line of Secs. 30 1/4, N. of post.

West Correct the line between Secs. 9 &amp; 16

40.06 Set the gr. & sec. cor. post from wh.  
a W. Oak 30 in. dia. bears N 49° W 14 1/4,  
4 a Do. 36 " " " S 12° W 45 1/4,

80.12 To the section corner. Land &amp; same

South Between sections 16 &amp; 17

27.78 To an Elm 10 in. dia. in the line,

40.00 Set the gr. & sec. cor. post from which  
a B. Walnut 18 in. dia. bears N 13° E 20 1/4,  
4 an Elm 15 " " " S 35° E 13 "

62.16 To a W. Oak 12 " " in the line

80.00 Set a post cor. to Secs. 16, 17, 20 & 21  
a W. Walnut 12 in. dia. bears S 41° W 37 1/4,  
4 a Hickory 15 " " " N 24° E 39 "

corner

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Co. L,

Land nothing soil good & the timber  
is Sugar, Buck, Lym, Elm, & 10 Ash  
Bl. & W. Walnut &c, Nov. 18<sup>th</sup> 1829

East On Random between sections 16 & 21

40.00 Set a tempy. 14 Sec. cov. post

80.14 To the Co. boundary, 203 Men. S. of post

West Correct the line between sec. 16 & 21

40.08 Set a gr. sec. cov. post from which  
a Sugar 30 in. dia. bears N 42° W 52 lks,  
& a Buck 24 " " " S 59° E 36 " 10k

80.14 To the section corner, Land same,

South Between sections 20 & 21

21.97 To a Poplar 20 in. dia. in the line,

40.00 Set the gr. sec. cov. post from which  
a Walnut 24 in. dia. bears N 68° W 18 lks. dist,  
& a Hickory 18 " " " S 81° E 30 " "

49.00 Enter Ranney

55.50 To a Lake & set post from which  
a W. Oak 18 in. dia. bears N 2° W 32 lks,  
& a Do. 15 " " " N 89° W 20 "

75.00 Over the Lake & set a post from wh,  
a W. Oak 18 in. dia. bears S 59° E 8 lks. dist,  
& a Do. 10 " " " N 68° W 20 " "

80.00 Set a post cov. to Secs. 20, 21, 28 & 29  
a G. Oak 10 in. dia. brs, S 86° E 32 lks,  
& a W. Oak 9 " " " S 42° W 8 "

Land level & separate & the timber is  
Sugar, Buck, Hickory, Walnut, Oak &c,

East On Random between sec. 21 & 28

T. 37 N. R. 1 W. 2<sup>nd</sup> New Ind.

6.25

40.00 Set a tempy. gr. sec. cor. post

80.00 To the E. boundy. of sec. 90 W. S. of post,

West Correct the line between sec. 21 &amp; 28

40.00 Set the gr. sec. cor. post from which  
a Hickory 10 in. dia. bears S 60 E 42 W. 4 in.  
& an Aspen 20 " " " N 14 E 26 " "80.00 To the sections corner, Land 1<sup>st</sup> rate &  
barrens & the timber G & W. Oak & Hickory

South Between sections 28 &amp; 29

12.00 Leave Barrens

18.58 To a Birch 10 in. dia. in the line

40.00 Set the gr. sec. cor. post from which  
a Lyrus 18 in. dia. bears N 13 E 17 W. 4 in.  
& a G. Ash 24 " " " N 58 W 30 " "

55.00 Enter Barrens

68.78 To a Hickory 12 in. dia. in the line

80.00 Set a post cor. to sec. 28, 29, 32 & 33  
a Br. Oak 9 in. dia. bears S 23 E 28 W. 4 in.  
& a Do. 9 " " " N 65 E 54 " "Land is rolling & sec. rate & the timber  
is Sugar, Birch, Lyrus Oak &c.

East On Barren between sec. 28 &amp; 33

35.00 Enter a wet prairie

40.00 Set a tempy. gr. sec. cor. post,

44.00 Leave prairie

79.93 To the E. boundy. of sec. 17 W. S. of post

West Correct the line between sec. 28 &amp; 33

39.96 Set the gr. sec. cor. post from wh.  
a W. Oak 9 in. dia. bears S 46 E 22 W. 4 in.



T. 37 N. R. 1 W. 2<sup>nd</sup>. Mer. Ind.<sup>a</sup>.

6. 2. 4 a W. Oak 7 in. dia. bears N 31 E 26 M.,  
 79.93 To the section corner, Land broken  
 & sec. rate, bearing & the timber is  
 W. & Br. Oak &c

South Between sections 32 & 33,  
 15.65 To a G. Oak 18 in. dia. in the line,  
 25.93 To the Indiana boundy, & set corner  
 to sec. 32 & 33 from which  
 a W. Oak 18 in. dia. bears N 11 E 34 M.,  
 & a G. Oak 18 " " " N 38 W 60 "  
 Land level bearing, soil thin & the timber  
 is G. W. & Br. Oak &c

South Between sections 5 & 6,  
 13.00 To an Indian trail cor. W,  
 38.50 To Chicago trail " SW  
 40.00 Set gr. res. cor. in a mound  
 78.00 Leave the prairie  
 80.00 Set the post cor. to sec. 5, 6, 7 & 8,  
 a Hickory 6 in dia. bears S 12 E 18 M. dia.,  
 & a Dr. 6 " " " S 74 W. 14 " "  
 Land rolling 1<sup>st</sup> rate prairie,

East On Random between sec. 5 & 8,  
 40.00 Set a temporary gr. res. cor. post,  
 48.50 To a Lake & set post. from which  
 a G. Ash 7 in. dia. bears N 33 E 33 M. dia.,  
 & a R. Oak 20 " " " S 65 W 32 " "  
 65.64 Over the lake & set post from which  
 a W. Oak 15 in. dia. bears N 65 E 15 M.,  
 & a G. Oak 9 " " " S 31 W 14 "  
 80.14 To the E. line of sec at the post,

T. 37 N. R. 1 W. 2<sup>nd</sup>. New. Ind.

C. L.

West Blazed back between sec. 5 & 8,  
 40.07 Set the gr. sur. cor. post from which  
     a Buck 12 in. dia. bears S 87 E 17 1/2 mi. dist.  
     & a Sugar 6 " " " S 68 W 8 " "  
 80.14 To the section corner,  
     Land is rolling & 1<sup>st</sup> rate & the timber  
     is Sugar, Buck, Oak, Lyrum & —  
     November 18<sup>th</sup> 1829. —

West Between sections 6 &amp; 7

40.00 Set the gr. sur. cor. post from which  
     a Hickory 9 in. dia. bears S 28 W 52 1/2 mi.  
     & a Do. 9 " " " S 22 E 38.  
 41.07 Enter prairie  
 43.50 To Chicago Trail cr. S. W  
 78.75 " the W. boundary, at post in mound  
     & set post cor. to sec. 6 & 7. Land is  
     level, soil good & timber same as last.

South Between sections 7 &amp; 8,

21.75 To R. Oak 48 in. dia. in the line,  
 40.07 Set the gr. sur. cor. post from which  
     a Buck 24 in. dia. bears S 64 E 26 1/2 mi.  
     & a Do. 18 " " " North 27 "  
 61.87 To a G. Ash 24 " " in the line.  
 80.07 Set a post cor. to sec. 7, 8, 17 & 18,  
     a G. Ash 9 in. dia. bears N 10 W 9 1/2 mi. dist.  
     & a Buck 9 " " " S 17 W 9 " "  
     Land rolling & 1<sup>st</sup> rate & the timber,  
     is Sugar, Buck, R & W. Oak, Walnut,  
     Lyrum & Ash & —

East On Random between sec. 8 &amp; 17

T. 37 N. R. 1 W. 2<sup>nd</sup> New. Ind.<sup>a</sup>

C. L.

40.00

Set a temporary, Jesus, cor. post,

80.10

To the E. line of sec. 20 ths. S. of post,

West

Correct the line between sec. 8 &amp; 17

40.05

Set the gr. sec. cor. post from which  
an Elm 30 in. dia. bears S 15 E 4 ths. dist.,  
& a Beech 9 " " " N 22 W 12 " "

80.10

To the section corner,

Land &amp; timber is same as on last mile

West

Between sections 7 &amp; 18,

22.89

To a Sugar 24 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which

a B. Walnut 60 in. dia. bears S 39 E 13 ths.,

&amp; a Beech 9 " " " N 9 E 19 " dist.

58.98

To a B. Walnut 24 in. " in the line,

68.90

Enter Raney

75.30

To the W. boundy, 80 ths. S. of post,

where set a post cor. to sec. 7 &amp; 18,

a W. Oak 20 in. dia. bears N 20 E 33 ths. dist.

no other tree convenient, Land rolling  
soil good & the timber as before,

South

Between sections 17 &amp; 18,

27.30

To a Sugar 12 in. dia. in the line,

40.00

Set a gr. sec. cor. post from which

a Sugar 12 in. dia. bears N 15 W 6 ths. dist.

&amp; a Spruce 12 " " " S 24 E 37 " "

45.00

Enter Raney

67.92

To a Br. Oak 10 in. dia. in the line,

80.00

Set a post cor. to sec. 17, 18, 19 & 20,  
in an Indian village.

a Br. Oak 10 in. dia. bears N 3 E 500 ths. dist.

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>e</sup>

Co. L. No other timber convenient, Land level  
Soil good & the timber is Sugar Beech  
Walnut, Oak &c

East On Random between sections 19 & 20  
40.00 Set a temporary 1/4 sec. cor. post,  
75.00 Leave Barrens  
80.16 To the E. line of sec. 20 1/4 mi. S. of post,

West Correct the line between sec. 19 & 20  
40.08 Set the q. sec. cor. post from which  
a W. Oak 12 in. dia. bears S 50° W 38 1/4 mi. dist,  
& a Do. 10 " " " N 10° W 32 " "  
80.16 To the sections corner, Land 1<sup>st</sup> rate  
Barrens & the timber is W. C. T. Oak &c,

West Between sections 18 & 19  
17.90 To a Br. Oak 4 in. dia. in the line,  
32.00 Enter prairie  
40.00 Set the q. sec. cor. post from which  
a Br. Oak 9 in. dia. bears N 78° E 78 1/2 mi.  
no other timber near  
72.10 To the W. boundy, 130 1/2 mi. S. of post,  
& set post cor. to sec. 18 & 19 from wh.  
no bearing - Raised a mound,

South Between sections 19 & 20  
40.00 Leave Barrens  
27.60 To a Lyrus 14 in. dia. in the line,  
40.00 Set the q. sec. cor. post from which  
a Sugar 13 in. dia. bears N 78° W 31 1/2 mi.  
& a Do. 35 " " " N 62° E 60 "  
60.62 To a Lyrus 20 " " in the line,



T. 37 N. R. 1 W. 2<sup>d</sup> New. Ind.

6. E,

80.07 Set a post cor. to sec, 19, 20, 29 & 30  
 a Buck 12 in. dia, bears E 60° W 17 lbs,  
 & a Do. 35 " " " N 62° E 60 "  
 Land level & first rate & the timber is  
 Sugar, Buck, Lym, B. Walnut Ash &c,

East On Random between sec, 20 &amp; 29

40.07 Set a tempy. 1/4 sec, cor. post,

65.00 Entered Barren

68.50 To a Lake

73.00 Over the Do,

80.04 To the E. line of sec, 11 lbs. S. of post

West Correct the line between sec, 20 &amp; 29

40.02 Set the gr. sec, cor. post from which  
 a Sugar 20 in. dia, bears East 23 lbs. dia,  
 & a Do. 30 " " " N 65° W 15 " "  
 Land rolling, soil good & timber same  
 November 29<sup>th</sup> 1829.

West Between sections 19 &amp; 30

17.70 To a Lym 30 in. dia. in the line,

27.50 Entered a prairie

40.00 Set the gr. sec, cor. post from which  
 a Bb. Walnut 7 in. dia, bears N 85° E 12 lbs,  
 no other so near as even that (= 70 lbs,

68.90 To the W. boundy, 102 lbs. S. of post  
 & set post cor. to sec, 19 & 30, fr. wh.  
 raised a mound for corner,  
 Land level soil good & the timber  
 is Sugar Buck Lym Walnut Oak ash &c,

South Between sections 29 &amp; 30

P. 1000

T. 37 N. R. 1 W. 2<sup>d</sup> New Ind<sup>a</sup>

6. L.  
 16.25 To a G. Ash 18 in. dia. in the line  
 23.00 Enter prairie  
 40.00 Set the gr. sec. cor. post from which  
       a W. Oak 15 in. dia. bears N 78° 41' W,  
       no other timber near  
 80.00 Set a post cor. to sec. 29, 30, 31 & 32  
       where raised a mound  
       Land level soil good & timber same

- East On Random between sec. 29 & 32  
 33.00 Leave the prairie  
 40.00 Set a temporary gr. sec. cor. post,  
 79.95 To the E. line of sec. 9 th. S. of post,

- West Correct the line between sec. 29 & 32  
 39.97 Set the gr. sec. cor. post from which  
       a Br. Oak 15 in. dia. bears N 65° 56' 41' W,  
       no other tree handy,  
 79.95 To the section's corner,  
       Land level & the soil good & the timber  
       is W. G. & Br. Oak &c

- West Between sections 30 & 31  
 40.00 Set gr. sec. cor. post. in prairie  
       where raised a mound  
 65.73 To the W. boundary, 1.13 th. S. of post,  
       & set post cor. sec. 30 & 31 in prairie  
       where raised a mound  
       Land level & first rate prairie,

- South Between sections 31 & 32  
 2.00 Leave prairie & enter barrens  
 27.30 To the Indian boundary, & set post cor. 31 & 32

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

C. L. a Br. Oak 12 in dia. beam at 78 E 12 M,  
 La. Do, 18 " " " at 36 W 27 " M,  
 Land is rolling & good soil & the timber is  
 W. & Br. Oak. Finished this township  
 Nov. 21<sup>st</sup> 1829, T. Henderson S. L.

Meanders of a Lake in sec. 4 & 9  
 Begin at post on E. side.

Course C. L.	Remarks.
S 31 E 5.00	In sec. 9
N 4 E 14.00	
S 36 E 3.00	
S 17 W 1.50	
N 78 W 4.50	
N 41 W 16.00	
N 31 W 7.50	
S 62 W 2.50	
S 20 W 5.00	
N 42 W 2.50	
North 5.00	
N 42 W 1.87	To post between sec. 4 & 9. W. side

N 3 E 14.00	In sec. 4
N 59 E 8.00	
S 58 E 7.50	
N 40 E 3.50	
S 79 E 3.00	
S 10 E 4.00	
S 31 E 6.00	
S 13 W 2.50	
S 48 W 6.58	To the place of beginning

Meanders of a Lake in sec. 9

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Comm C. L. Meanders of Lake in Sec. 9  
Begin at  $\frac{1}{4}$  sec. cor. between sec.  
8 & 9,

To the Lake

S 54 E 6.86  
South 4.00  
S 41 E 15.00  
N 73 E 9.00  
South 15.00  
S 57 E 5.00  
N 50 E 3.00  
East 4.50  
N 59 E 9.50  
N 2 E 5.00  
N 17 E 4.50  
N 4 W 2.50  
N 39 E 4.50  
N 67 E 4.50  
N 54 W 4.00  
N 78 W 10.00  
N 47 W 12.50  
S 55 W 4.00  
N 58 W 4.00  
S 71  $\frac{1}{4}$  W 14.00

To the place of beginning,

Meanders of a Lake in sec.  
20 & 21. Beginning at post on  
the S. side, thence,

In sec. 21.

S 54 E 8.50  
East 8.00  
N 32 E 12.00  
N 10 W 7.00  
N 32 W 5.00  
N 14 E 7.00



T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Comm. C. L.	Meanders continued,
N 53° W 14.50	In sec. 21
S 40° W 12.00	
S 44° W 3.20	To post between secs. 20 & 21
S 26½° W 11.40	
S 17° E 7.00	
S 43¾° E 4.10	To the place of beginning,
S 56° 4.50	Meanders of Lake in sec. 548
S 47° W 4.00	Begin at E. post between secs. 548
N 78° W 8.00	In sec. 8
N 57¾° W 8.50	To post between sec. 548.
N 78° W 4.00	In sec. 5
S 78° W 4.00	
N 55° W 4.50	
North 6.50	
N 60° E 6.00	
S 57° E 13.50	
S 75° E 6.50	
S 62° E 6.18	To the place of beginning,

Pursuant to a contract, dated 16<sup>th</sup> Sept, 1829, & instructions from William Lytle, Surveyor General of the M. States for the States of Ohio, Indiana & Michigan Terr; I have surveyed & subdivided into sections, Township 37 North Range 1 West 2<sup>d</sup> Meridian Indiana: & I do further certify that the foregoing are the true

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

I correct field notes of said survey &  
subdivision, executed as aforesaid,  
certified this 4<sup>th</sup> of February 1830,  
Thomas Henderson, D. S. —

I certify that the foregoing trans-  
cript of field notes of Township  
37 North, Range 1 West 2<sup>nd</sup> Mer. Indiana  
has been compared with the original  
in this office & found to be correct,

C. S. Haines Sur. Genl.

Surveyor General's office,  
Cincinnati, March 5<sup>th</sup> 1842. 3

T. 37 N. R. 1 W. 2<sup>nd</sup> New Ind.

Subdivision, of the tract...  
South, of the Indian Boundary.  
This township commenced Dec. 17<sup>th</sup> &  
completed the 18<sup>th</sup> 1834 -

West From Meridian on S. boundy. of purchase  
& N. side of Tract, sec. 36,  
80.00 Set post, original post note found  
Land all marsh & Tam<sup>e</sup> swamp 3<sup>d</sup> rate

South From cor. to Tract, sec. 35 & 36 on  
Indian boundy.  
Lameray 8 in. dia, bear S 37 $\frac{1}{2}$  E 72 1/2 in. dist,  
& a Do. 10 " " " N 40 W 120 " "  
45.00 Leave Tam<sup>e</sup> swamp & enter marsh  
52.00 To Low line at post in mound  
Land all Tam<sup>e</sup> swamp & marsh 3<sup>d</sup> rate,

North Between sections 35 & 36  
40.00 Set gr. res. cor. post in marsh & water  
no bearings near -

West On Indian boundy, line. N. side of sec 35  
45.00 Leave the marsh  
88.50 To cor. of sec. 34 & 35. old survey  
Land 45 chs. E. marsh. Rem<sup>t</sup>. log  
& the timber is Y. W. & R. Oak & thin sandy  
soil & 3<sup>d</sup> rate land

South Between sections 34 & 35  
a G. Oak 20 in. dia, bear S 21 W 38 1/2 in. dist,  
& a Do. 18 " " " S 72 E 62 " "  
29.69 To a Red Oak 18 " " in the line,

444

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer, Ind.

6. L.  
 33.54 To a G. Oak 12 in. dia. in the line,  
 44.58 " " Do. 14 " " " "  
 50.65 " Town line 8.77 lks. W. of post cor. reg. 34 & 35  
 & set post cor. to reg. 34 & 35  
 a G. Oak 20 in. dia. bears N 60 E 37 lks. dist,  
 & a Do. 24 " " " N 76 W 53 " "  
 Land sandy barren & small marshes  
 3<sup>rd</sup> rate & the timber is G. Oak. W. Oak & the  
 mid. Gth. is Red root beakes. &c —

North Between sections 34 & 35 —  
 40.00 Set the gr. meas. cor. post from which  
 a G. Oak 14 in. dia. bears S 26 W 86 lks. dist  
 & a Do. 10 " " " N 3 1/2 W 167 " "

West On the S. side of ten mile purchase  
 N. side of frac. sec, 34.  
 15.00 Enter a marsh cor. S. E. & NW  
 24.50 Leave marsh & Enter timber  
 44.50 Enter a Do. cor. N & S.  
 50.50 Leave the marsh & Enter timber  
 81.10 To the original post cor. to sec. 33 & 34  
 old survey. Land rolling some —  
 marshes & thin sandy soil 3<sup>rd</sup> rate &  
 the timber is G. W. Oak & Hickory Fr,  
 & N. G. Red root & beakes &c —  
 Dec. 17<sup>th</sup> 1834 —

South Between sections 33 & 34  
 a W. Oak 15 in. dia. bears S 28 E 15 lks.  
 & a W. Oak 12 " " " S 60 1/2 W 15 1/2 "  
 3.05 To a G. Oak 18 " " in the line,  
 22.19 " " Red Oak 18 " " " " "



T. 37 N. R. 1 W. 3<sup>rd</sup> Mer. Ind.<sup>a</sup>

- 6.25  
 28.00 Leave the timber & Enter marsh on W  
 39.50 Leave marsh to timber  
 52.00 To Town boundary, 990 lks. W. of post,  
 set post cor. to sec. 33 & 34 —  
 a Red Oak 20 in dia. bears N 62 $\frac{1}{2}$  W 36 lks,  
 & a Y. Oak 24 " " " N 53 $\frac{1}{2}$  E 43.  
 Land is thin sandy, soil with some marsh  
 3<sup>rd</sup> rate, & the timber is R. G. & W. Oak Hickory  
 & c. & the wood. 9<sup>th</sup> red root & c.

## North Between sections 33 &amp; 34

- 40.00 Set the gr. sec. cor. post from which  
 a Y. Oak 20 in dia. bears N 42 W 91 lks. dist,  
 & a Do. 22 " " " S 77 E 84 " "  
 52.40 To the sec. cor.,

West On old Indian boundary line —  
on the south side of sec. 33,

- 14.50 Enter a marsh on. at & c.,  
 36.00 Leave marsh & Enter timber  
 82.50 To cor. sec. 32 & 33, old survey,  
 Land gently rolling sandy soil sec. 3<sup>rd</sup> rate  
 & the timber is Y. Oak. Hickory, W. Oak & R. Oak  
 & the wood. growth Brakes, & Red root & c.,

## South Between sections 32 &amp; 33

- a Y. Oak 15 in dia. bears S 43 W 9 lks,  
 & a W. Oak 16 " " " S 43 E 35 "  
 5.73 To a Y. Oak 15 " " in the line,  
 15.80 " " Y. Oak 12 " " " " "  
 31.60 " " Do. 18 " " " " "  
 57.40 To the town line 12.50 lks. W. of post  
 & set post cor. to sec. 32 & 33 from which

416

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind.

---

C. L. a G. Oak 15 in. dia. bears N 20 W 38<sup>th</sup>,  
& a W. Oak 12 " " N 48<sup>1</sup>/<sub>2</sub> E 34 "  
Land is dry rolling sandy soil  
sec. rate & the timber is Hickory Oak &  
& the Mud, yth, Red Root & Brakes &

---

North Between sections 32 & 33,  
40.00 Set the gr. sec. cor. post from wh.,  
a G. Oak 20 in. dia. bears S 4 E 33<sup>th</sup>,  
& a Hickory 10 " " N 40 W 34 "  
51.40 To the section corner,

---

Post On the S. side of ten mile purchase  
& N. side of sec. 32,  
81.10 To corner of sec. 31 & 32 old survey  
Land sec. rate & the timber is B,  
Oak Hickory W & y oak & scattering  
Mud yth of Red Root & Brakes.

---

South Between sections 31 & 32,  
a B. Oak 12 in. dia. bears S 9<sup>1</sup>/<sub>2</sub> E 27<sup>1</sup>/<sub>2</sub> <sup>th</sup>,  
& a B. Oak 15 " " " S 67<sup>1</sup>/<sub>2</sub> W 53 "  
12.82 To a B. Oak 8 " " in the line,  
32.63 To a G. Oak 18 " " " " "  
42.85 " " W. Oak 15 " " " " "  
47.89 " " G. Oak 18 " " " " "  
51.05 " the Town line N 25<sup>th</sup> W. of post,  
Set post cor. to sec. 31 & 32,  
a Hickory 6 in. dia. bears N 46<sup>1</sup>/<sub>2</sub> W 17<sup>th</sup> in. dia.,  
& a Do. 10 " " " N 79<sup>1</sup>/<sub>2</sub> E 31 " "  
Land is gently rolling sec. rate & the  
timber is B. Oak, G. Oak, Hickory W. oak &

---

T. 37 N. R. 1 W. 3<sup>rd</sup> Mer. Ind.<sup>a</sup>

C. S.

North Between sections 31 & 32

40.00 Set the gr. sec. cor. post from wh,  
a W. Oak 8 in dia, bears N 73 E 35 th. dis,  
a B. Oak 10 " " " S 55 E 41 " "

51.05 To the section corner,

---

West On the S. boundy. of ten mile purchase  
on N. side of frac. sec 31.

59.80 To Section corner on Range line,  
Land level & dry with scattering B. Oak  
& good sec rate land. Dec. 18<sup>th</sup> 1834

---

✓ In the aggregate this fraction is  
mostly poor & 3<sup>rd</sup> rate land. generally  
rolling sandy soil, & the timber is  
short & scattering & but little used, & the  
the E. part is mostly in marsh & under  
water & nothing worthy of particular  
remarks. —

---

I hereby certify that in pursuance  
of a contract with Micajah T. Williams  
Surveyor General of the United States  
for the States of Ohio, Indiana & the Terr.  
of Michigan. Dated 21<sup>st</sup> day of April  
1834 & in strict conformity to the laws  
of the United States & the instructions  
of said Surveyor Genl. I have surveyed  
& subdivided Trac. Town 37 N. Range  
1 W. 2<sup>nd</sup> Mer. Indiana. S. of Indiana  
County; & I do further certify that  
the foregoing are the true & original  
field notes of said survey & subdivision

418

T. 37 N. R. 1 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

---

Executed as aforesaid,  
Certified 18<sup>th</sup> day of Dec. 1834  
William Clark Dep. Sur,  
Hugh McDonald, Chain man  
John Jones, " "  
John Hood, Marker,

---

I certify that the foregoing trans-  
cript of field notes of Tract Town  
37<sup>th</sup> N. Range 1 W. 2<sup>nd</sup> Mer. Indiana  
has been compared with the orig-  
inal in this office, & found to be  
correct.

Sur. Genl.

Surveyor General's office,  
Cincinnati. March 5<sup>th</sup> 1842, 3

Comp<sup>d</sup>